

1/12




Figure 1

2/12





Figure 2

3/12



4/12




Figure 4

5/12




Figure 4A

6/12




Figure 4B

7/12




Figure 5

8/12




Figure 6

9/12




Figure 7

10/12

Untitled																																										
Joe A. Adult	76 yrs	70 kg	Allergies: Penicillin																																							
Meds:		Cardizem, Furosemide, Ventolin																																								
Wound Debridement, Myocardial Infarction, Asthma, Renal Insufficiency																																										
<u>Select Crisis</u>		<u>Resuscitation & Treatment Alternatives</u>																																								
<table border="1"> <thead> <tr> <th>Airway</th> <th>Breathing</th> <th>Circulation</th> <th>Disability & Other</th> </tr> </thead> <tbody> <tr> <td>Low Airway Pressure</td> <td>Low O2 Saturation</td> <td>Low BP</td> <td>Low LOC (Coma)</td> </tr> <tr> <td>High Airway Pressure</td> <td>Low Co2</td> <td>High BP</td> <td>High ICP</td> </tr> <tr> <td></td> <td>High Co2</td> <td>Low HR</td> <td>Seizure</td> </tr> <tr> <td></td> <td></td> <td>High HR</td> <td>Low Temp</td> </tr> <tr> <td></td> <td></td> <td>VFib & PVT</td> <td>High Temp</td> </tr> <tr> <td></td> <td></td> <td>Asystole</td> <td></td> </tr> <tr> <td></td> <td></td> <td>Pulseless Electrical Activity</td> <td></td> </tr> <tr> <td></td> <td></td> <td>Low MVO2</td> <td></td> </tr> <tr> <td></td> <td></td> <td>ST Segment Changes</td> <td></td> </tr> </tbody> </table>	Airway	Breathing	Circulation	Disability & Other	Low Airway Pressure	Low O2 Saturation	Low BP	Low LOC (Coma)	High Airway Pressure	Low Co2	High BP	High ICP		High Co2	Low HR	Seizure			High HR	Low Temp			VFib & PVT	High Temp			Asystole				Pulseless Electrical Activity				Low MVO2				ST Segment Changes		<p>Awaiting Crisis Identification</p> <p><u>Possibly Harmful:</u></p> <ul style="list-style-type: none"> • Beta Blocker - Asthma • Penicillin - Allergy, Cephalosporin - Penicillin Allergy <p>Next Page</p> <p>Other Medications</p>	
Airway	Breathing	Circulation	Disability & Other																																							
Low Airway Pressure	Low O2 Saturation	Low BP	Low LOC (Coma)																																							
High Airway Pressure	Low Co2	High BP	High ICP																																							
	High Co2	Low HR	Seizure																																							
		High HR	Low Temp																																							
		VFib & PVT	High Temp																																							
		Asystole																																								
		Pulseless Electrical Activity																																								
		Low MVO2																																								
		ST Segment Changes																																								
<p>Updated Time: 2050</p> <p>Recent Event Log</p> <p>2045 Cefazolin 1 g IV</p> <p>2040 Intubated 8.0 ETT</p> <p>2040 Succinylcholine 100 mg IV</p> <p>2040 Propofol 80 mg IV</p> <p>2040 Fentanyl 200 mcg IV</p> <p>2035 Ventolin 4 puffs</p> <p>1850 Furosemide 20 mg PO</p> <p>1650 Cardizem 60 mg PO</p> <p>1650 Entrophon 80 mg PO</p>		<p>Complete Event Log</p> <p>Labs</p> <p>New Crisis</p> <p>End Crisis</p>																																								

Figure 8

11/12

Untitled		X																						
Joe A. Adult		76 yrs	70 kg																					
Allergies:		Penicillin	Meds: Cardizem, Furosemide, Ventolin																					
Wound Debridement, Myocardial Infarction, Asthma, Renal Insufficiency																								
Select Diagnosis <div> <div> <div>Low Preload</div> <div>Pulmonary Embolus - Blood</div> <div>Pulmonary Embolus - Air</div> <div>Pulmonary Embolus - Fat</div> <div>Tension Pneumothorax</div> <div>Cardiac Tamponade</div> <div>Bleeding</div> <div>Surgical Retraction</div> </div> <div> <div>Arrhythmia & Low Contractility</div> <div>Myocardial Infarction</div> <div>Tachyarrhythmia</div> <div>Bradyarrhythmia</div> <div>Anesthesia Drugs</div> <div>Wrong Drug</div> <div>Wrong Dose</div> <div>Valve Failure</div> <div>Hypoxia</div> </div> <div> <div>Low Afterload</div> <div>Sepsis</div> <div>Anaphylaxis</div> <div>Hypoglycemia</div> <div>Hypothyroid</div> <div>Addisonian Crisis</div> <div>Neurogenic Shock</div> <div>High Spinal</div> </div> </div>		Resuscitation & Treatment Alternatives <table border="1"> <thead> <tr> <th>Resuscitation</th> <th>Resus. Cont'd</th> <th>Resus. Cont'd</th> </tr> </thead> <tbody> <tr> <td>HR Low or Normal Ephedrine 10 mg IV</td> <td>100% O2</td> <td>Consider CXR</td> </tr> <tr> <td>HR Normal or High Phenylephrine 100 mcg IV</td> <td>Consider Reposition Patient</td> <td>Consider Swann Ganz</td> </tr> <tr> <td>Severe Low BP Epinephrine 10 mcg IV</td> <td>Large Bore IV</td> <td></td> </tr> <tr> <td>HR Low Atropine 0.6 mg IV</td> <td>Arterial Line</td> <td></td> </tr> <tr> <td>NS 1000 ml Bolus</td> <td>Consider Central Line</td> <td></td> </tr> <tr> <td>O/C Volatile Gas</td> <td>Consider EKG</td> <td></td> </tr> </tbody> </table>		Resuscitation	Resus. Cont'd	Resus. Cont'd	HR Low or Normal Ephedrine 10 mg IV	100% O2	Consider CXR	HR Normal or High Phenylephrine 100 mcg IV	Consider Reposition Patient	Consider Swann Ganz	Severe Low BP Epinephrine 10 mcg IV	Large Bore IV		HR Low Atropine 0.6 mg IV	Arterial Line		NS 1000 ml Bolus	Consider Central Line		O/C Volatile Gas	Consider EKG	
Resuscitation	Resus. Cont'd	Resus. Cont'd																						
HR Low or Normal Ephedrine 10 mg IV	100% O2	Consider CXR																						
HR Normal or High Phenylephrine 100 mcg IV	Consider Reposition Patient	Consider Swann Ganz																						
Severe Low BP Epinephrine 10 mcg IV	Large Bore IV																							
HR Low Atropine 0.6 mg IV	Arterial Line																							
NS 1000 ml Bolus	Consider Central Line																							
O/C Volatile Gas	Consider EKG																							
Possibly Harmful: • Beta Blocker - Asthma • Penicillin - Allergy, Cephalosporin - Penicillin Allergy		Complete Event Log Labs New Crisis End Crisis																						
Next Page	Identify Probability	Next Page	Rationale																					

Figure 9

12/12

Untitled					X																													
Joe A. Adult		76 yrs	70 kg	Allergies: Penicillin	Meds: Cardizem, Furosemide, Ventolin																													
Wound Debridement, Myocardial Infarction, Asthma, Renal Insufficiency																																		
<div> <div> <div> Diagnosis - Anaphylaxis Low Preload Pulmonary Embolus - Blood Pulmonary Embolus - Air Pulmonary Embolus - Fat Tension Pneumothorax Cardiac Tamponade Bleeding Surgical Retraction Arrhythmia & Low Contractility Myocardial Infarction Tachyarrhythmia Bradyarrhythmia Anesthesia Drugs Wrong Drugs Wrong Dose Valve Failure Hypoxia Low Afterload Sepsis Anaphylaxis Hypoglycemia Hypothyroid Addisonian Crisis Neurogenic Shock High Spinal </div> <div> Resuscitation & Treatment Alternatives <table border="1"> <thead> <tr> <th>Resuscitation:</th> <th>Resus. Cont'd</th> <th>Resus. Cont'd</th> <th>Treatment Cont'd</th> </tr> </thead> <tbody> <tr> <td>HR Low or Normal Ephedrine 10 mg IV</td> <td>100% O2</td> <td>Consider CXR</td> <td>Diphenhydramine 50 mg IV</td> </tr> <tr> <td>HR Normal or High Phenylephrine 100 mcg IV</td> <td>Consider Reposition Patient</td> <td>Consider Swann Ganz</td> <td>Hydrocortisone 125 mg IV</td> </tr> <tr> <td>Severe Low BP Epinephrine 10 mcg IV</td> <td>Large Bore IV</td> <td><u>Treatment:</u> DIC Antigen (Drugs, Latex, Blood)</td> <td>Consider Ranitidine 50 mg IV max</td> </tr> <tr> <td>HR Low Atropine 0.6 mg IV</td> <td>Arterial Line</td> <td>Epinephrine 10 mcg IV</td> <td>Urinary Catheter</td> </tr> <tr> <td>NS 1000 ml Bolus</td> <td>Consider Central Line</td> <td>Epinephrine Infusion 0.1 mcg/kg/min</td> <td>ABG, CBC</td> </tr> <tr> <td>O/C Volatile Gas</td> <td>Consider EKG</td> <td>NS 1000 ml Bolus</td> <td>Trypase C3, IgE Latex</td> </tr> </tbody> </table> </div> <div> Possibly Harmful: • Beta Blocker - Asthma • Penicillin - Allergy, Cephalosporin - Penicillin Allergy </div> </div> </div>							Resuscitation:	Resus. Cont'd	Resus. Cont'd	Treatment Cont'd	HR Low or Normal Ephedrine 10 mg IV	100% O2	Consider CXR	Diphenhydramine 50 mg IV	HR Normal or High Phenylephrine 100 mcg IV	Consider Reposition Patient	Consider Swann Ganz	Hydrocortisone 125 mg IV	Severe Low BP Epinephrine 10 mcg IV	Large Bore IV	<u>Treatment:</u> DIC Antigen (Drugs, Latex, Blood)	Consider Ranitidine 50 mg IV max	HR Low Atropine 0.6 mg IV	Arterial Line	Epinephrine 10 mcg IV	Urinary Catheter	NS 1000 ml Bolus	Consider Central Line	Epinephrine Infusion 0.1 mcg/kg/min	ABG, CBC	O/C Volatile Gas	Consider EKG	NS 1000 ml Bolus	Trypase C3, IgE Latex
Resuscitation:	Resus. Cont'd	Resus. Cont'd	Treatment Cont'd																															
HR Low or Normal Ephedrine 10 mg IV	100% O2	Consider CXR	Diphenhydramine 50 mg IV																															
HR Normal or High Phenylephrine 100 mcg IV	Consider Reposition Patient	Consider Swann Ganz	Hydrocortisone 125 mg IV																															
Severe Low BP Epinephrine 10 mcg IV	Large Bore IV	<u>Treatment:</u> DIC Antigen (Drugs, Latex, Blood)	Consider Ranitidine 50 mg IV max																															
HR Low Atropine 0.6 mg IV	Arterial Line	Epinephrine 10 mcg IV	Urinary Catheter																															
NS 1000 ml Bolus	Consider Central Line	Epinephrine Infusion 0.1 mcg/kg/min	ABG, CBC																															
O/C Volatile Gas	Consider EKG	NS 1000 ml Bolus	Trypase C3, IgE Latex																															
Identify Probability		Next Page		Other Medications		Rationale																												
New Diagnosis																																		
<div> <div> Updated Time: 2052 Recent Event Log 2053 DIAGNOSIS - Anaphylaxis 2052 CRISIS-Low BP 2045 Cetazolin 1 g IV 2040 Intubated 8.0 ETT 2040 Succinylcholine 100 mg IV 2040 Propofol 80 mg IV 2040 Fentanyl 200 mcg IV 2035 Ventolin 4 puffs 1850 Furosemide 20 mg PO 1650 Cardizem 60 mg PO 1650 Entrophen 80 mg PO </div> <div> Complete Event Log Labs New Crisis End Crisis </div> </div>																																		

Figure 10